

Declaration of Performance 0068 – CPR – 023/2014 - DP027EN1416403

1. **Unique identification code of the product-type:** Oriplast
2. **Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):**
 Product name: Oriplast
 Production date and batch are printed on the package.
 Production plant: Diasen Srl - zona Ind.le Berbentina, 5 - 60041 Sassoferrato (AN)
3. **Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**
 Products and systems for the protection and restoration of concrete structures – Part 2 : Systems to protect concrete surfaces in accordance with UNI EN 1504-2.
 Intended use: coating (C).
 Product used in buildings and civil engineer works.
4. **Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):**
 Diasen Srl - zona Ind.le Berbentina, 5 - 60041 Sassoferrato (AN) – www.diasen.com
5. **Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):**
 Not applicable.
6. **System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:**
 System 2+.
7. **In case of the declaration of performance concerning a construction product covered by a harmonized standard:**
 Istituto di Ricerche e Collaudi M. Masini - Identification number: 0068
 Has done:
 1. initial inspection of the production plant and production control;
 2. supervision, assessment and evaluation of plant production control. According to system 2+ and issued the certificate of conformity of the plant production control n. 0068-CPR-023/2014 of 31/03/2014.

8. Declared performance:

Essential Characteristics	Performance	Harmonized Technical Specification
CO ₂ permeability	NPD	UNI EN 1062-6
Vapour permeability value	NPD	UNI EN ISO 7783
Capillary absorption and water permeability	NPD	UNI EN 1062-3
Adhesion to concrete	0,78 N/mm ² , break type A/B	EN 1542
Fire resistance	Class B	UNI EN 13501-1
Dangerous substances	Read the SDS	EC Regulation n. 1272/2008

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.



This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: Diego Mingarelli – Legal representative
 Sassoferrato, 07/04/2014

R04_7.2_SGQA rev 0 del 30/06/2013

DiaSen srl
 Z. Ind.le Berbentina, 5
 60041 Sassoferrato (AN)
 P. IVA/C.S. 01553210426



 0068	 Zona Industriale Berbentina, 5 – 60041 Sassoferrato (AN) – Italy www.diasen.com												
<p style="text-align: center;">13 CPR – 031/2013 UNI EN 1504-2 ORIPLAST</p> <p style="text-align: center;"><i>Products and systems for the protection and restoration of concrete structures – Part 2 : Systems to protect concrete surfaces</i></p> <table border="0"> <tr> <td>CO₂ permeability</td> <td>NPD</td> </tr> <tr> <td>Vapour permeability value</td> <td>NPD</td> </tr> <tr> <td>Capillary absorption and water permeability</td> <td>NPD</td> </tr> <tr> <td>Adhesion to concrete</td> <td>0,78 N/mm², break type A/B</td> </tr> <tr> <td>Fire resistance</td> <td>Class B</td> </tr> <tr> <td>Dangerous substances</td> <td>Read the SDS</td> </tr> </table>		CO ₂ permeability	NPD	Vapour permeability value	NPD	Capillary absorption and water permeability	NPD	Adhesion to concrete	0,78 N/mm ² , break type A/B	Fire resistance	Class B	Dangerous substances	Read the SDS
CO ₂ permeability	NPD												
Vapour permeability value	NPD												
Capillary absorption and water permeability	NPD												
Adhesion to concrete	0,78 N/mm ² , break type A/B												
Fire resistance	Class B												
Dangerous substances	Read the SDS												